PRENATAL DIAGNOSIS
(Prenat Diagn)

Contents

VOLUME 23, ISSUE Nos. 1–13

ISSUE NUMBER 1, JANUARY 2003

Fetal Cytogenetics

The clinical application of spectral karyotyping (SKY™) in the analysis of prenatally diagnosed extra structurally abnormal chromosomes (ESACs): *Y. Yaron, E. Carmon, M. Goldstein, N. Voskoboinik, Y. Ochshorn, Z. Gelman-Kohan and A. Orr-Urtreger* 74

Short Communication

Pitfalls in prenatal diagnosis: cytogenetic analysis in amniocytes fails to detect mosaic r(12): *J. M. de Pater, J. M. J. C. Scheres, G. C. M. L. Christiaens and M. G. E. M. Ausems* 65

Fetal Molecular Biology and Biochemistry

HLA-G positive trophoblastic cells in transcervical samples and their isolation and analysis by laser microdissection and QF-PCR: *J. N. Bulmer, R. Cioni, C. Bussani, V. Cirigliano, F. Sole, C. Costa, P. Garcia and M. Adinolfi* 34

Detection of gamma-globin mRNA in fetal nucleated red blood cells by PNA fluorescence *in situ* hybridization: *R. D. Larsen, A. Schonau, M. Thisted, K. H. Petersen, J. Lohse, B. Christensen, J. Philip and K.-J. Pluzek* 52

Invited Commentary

Prenatal diagnosis of molybdenum cofactor deficiency and isolated sulfite oxidase deficiency: *J. L. Johnson* 6

Short Communications

Prenatal exclusion of Leigh syndrome due to T8993C mutation in the mitochondrial DNA: *E. Leshinsky-Silver, M. Perach, E. Basilevsky, E. Hershkovitz, M. Yanoov-Sharav, T. Lerman-Sagie and D. Lev* 31

Congenital nephropathy and ventriculomegaly: a report of four cases: *M. Jolly, S. Goodburn, P. Cox and P. Loughna* 48

Fetal Cells in Maternal Circulation

A simple and sensitive erythroblast scoring system to identify fetal cells in maternal blood: *D. Cha, B. Hogan, R. M. Bohmer, D. W. Bianchi and K. L. Johnson* 68

Fetal Imaging

Assessment of the thymus at echocardiography in fetuses at risk for 22q11.2 deletion: *C. Barrea, S.-J. Yoo, D. Chitayat, E. Valsangiacomo, E. Winsor, J. F. Smallhorn and L. K. Hornberger.* 9

The variables affecting nuchal skin-fold thickness in mid-trimester: *P. R. Lee, H. S. Won, J. Y. Chung, H. J. Shin and A. Kim* 60

Short Communications

Triploidy in a twin pregnancy: small placenta volume as an early sonographical marker: *R. Gassner, M. Metzenbauer, E. Hafner, U. Vallazza and K. Philipp* 16

Second trimester diagnosis of Neu Laxova syndrome: *M. A. Shivarajan, S. Suresh, S. Jagadeesh, S. Lata and L. Bhat* 21

Congenital erythropoietic porphyria (Günther's disease): two cases with very early prenatal manifestation and cystic hygroma: *E. Pannier, G. Viot, M. C. Aubry, G. Grange, J. Tantau, C. Fallet-Bianco, F. Muller and D. Cabrol* 25

Prenatal diagnosis of mosaic ring chromosome 22 associated with cardiovascular abnormalities and intrauterine growth restriction: *C.-P. Chen, S.-R. Chern, T.-Y. Chang, C.-C. Lee, L.-F. Chen, C.-Y. Tzen, W. Wang, C.-J. Lin, B. P. T. Yang and L. S. T. Yang* 40

Pathology of the Fetus and Placenta

Short Communication

Fetal liver hyperchogenicity on sonography may be a serendipitous sign of a transient myeloproliferating disorder: *A. Vimercati, P. Greco, A. Gentile, G. Ingravallo, G. Loverro and L. Selvaggi* 44

Maternal Screening

Detection of maternal serum hCG glycoform variants in the second trimester of pregnancies affected by Down syndrome using a lectin immunoassay: *J. A. Talbot, K. Spencer and R. A. Abushoufa* 1

Letters to the Editor 80

Current Awareness in Prenatal Diagnosis 88

ISSUE NUMBER 2, FEBRUARY 2003

Fetal Cytogenetics

Tetrasomy 12p—unusual presentation in CVS: *L. Dong, R. E. Falk, J. Williams III, M. Kohan and R. R. Schreck* . . . 101

Prenatally detected trisomy 4 and 6 mosaicism - cytogenetic results and clinical phenotype: *D. Wieczorek, E. C. Prott, W. P. Robinson, E. Passarge and G. Gillessen-Kaesbach* . . . 128

Short Communications

Prenatal diagnosis of holoprosencephaly in two fetuses with der (7)t(1;7)(q32;q32)pat inherited from the father with double translocations: *L. Chuang, P.-L. Kuo, H.-B. Yang, C.-H. Chien, P.-Y. Chen, C.-H. Chang and F.-M. Chang* . . . 134

Prenatal diagnosis of a small supernumerary, XIST-negative, mosaic ring X chromosome identified by fluorescence *in situ* hybridization in an abnormal male fetus: *C. Le Caignec, M. Boceno, M. Joubert, N. Winer, F. Aubron, C. Fallet-Bianco and J. M. Rival* . . . 143

Rapid prenatal diagnosis of Down syndrome using quantitative fluorescence *in situ* hybridization on interphase nuclei: *K. Truong, A. Gibaud, J.-M. Dupont, M.-N. Guilly, F. Soussaline, B. Dutrillaux and B. Malfoy* . . . 146

Fetal Molecular Biology and Biochemistry

Fetal cells in cervical mucus in the first trimester of pregnancy: *R. Cioni, C. Bussani, B. Scarselli, S. Bucciantini, F. Barciulli and G. Scarselli* . . . 168

Fetal Cells in Maternal Circulation

Review

Circulating trophoblast in maternal blood: *C. B. M. Oudejans, M. L. Tjoa, B. A. Westerman, M. A. M. Mulders, I. J. Van Wijk and J. M. G. Van Vugt* . . . 111

Fetal Imaging

Influence of maternal carbohydrate intake on fetal movements at 14 to 16 weeks of gestation: *I. Goldstein, I. R. Makhoul, D. Nisman, A. Tamir, G. Escalante and J. Itskovitz-Eldor* . . . 95

Antenatal detection of a single umbilical artery: does it matter?: *A. S. Gornall, J. J. Kurinczuk and J. C. Konje* . . . 117

Prenatal diagnosis of occipital encephalocele, mega-cisterna magna, mesomelic shortening, and clubfeet associated with pure tetrasomy 20p: *Y.-C. Wu, J. S. Fang, K.-F. Lee, J. Estipona, M.-L. Yang and C.-C. Yuan* . . . 124

First-trimester diagnosis of Bartsocas-Papas syndrome (BPS) by transvaginal ultrasound: case report and review of the literature: *S. M. Dolan, A. L. Shanske, R. W. Marion and S. J. Gross* . . . 138

Short Communications

Intrauterine brain teratoma: a case report of imaging (US, MRI) with neuropathologic correlations: *C. Mazouni, G. Porcu-Buisson, N. Girard, R. Sakr, D. Figarella-Ballanger, B. Guidicelli, P. Bonnier and M. Gamerre* . . . 104

Prenatal diagnosis of dilated coronary sinus with persistent left superior vena cava in a fetus with trisomy 18: *K. D. Kalache, R. Romero, G. Conoscenti, F. Qureshi, S. M. Jacques, T. Chaiworapongsa, M. Treadwell and A. Johnson* . . . 108

Case report: a prenatal case of Jarcho-Levin syndrome diagnosed during the first trimester of pregnancy: *E. Kauffmann, H. Roman, G. Barau, H. Dumas, A. Laffitte, A. Fourmaintraux, M. Binter and H. Randrianaivo* . . . 163

Fetal Therapy

Fetal supraventricular tachycardia: a role for amiodarone as second-line therapy?: *J.-M. Jouannic, S. Delahaye, L. Fermont, J. Le Bidois, E. Villain, Y. Dumez and M. Dommergues* . . . 152

Maternal Screening

First-trimester maternal serum PAPP-A, SP1 and M-CSF levels in normal and trisomic twin pregnancies: *N. A. Bersinger, P. Noble and K. H. Nicolaides* . . . 157

Midtrimester triple-test levels in women with chronic hypertension and altered renal function: *S. Shenhav, O. Gemer, D. J. Sherman, R. Peled and S. Segal* . . . 166

Short Communication

Maternal serum marker medians in Aboriginal Canadian women: *T. Huang, A. M. Summers, P. R. Wyatt, C. Meier and G. B. Côté* . . . 98

Letters to the Editor . . . 172

Current Awareness in Prenatal Diagnosis . . . 179

ISSUE NUMBER 3, MARCH 2003

Fetal Cytogenetics

Prenatal diagnosis of a karyotypically normal pregnancy in a mother with a supernumeracy neocentric 13q21→13q22 chromosome and balancing reciprocal: *A. C. Knegt, S. Li, J. J. M. Engelen, E. K. Bijlsma and P. E. Warburton* . . . 215

Fetal Molecular Biology and Biochemistry

Development and targeted application of a rapid QF-PCR test for sex chromosome imbalance: *C. Donaghue, A. Roberts, K. Mann and C. Mackie Ogilvie* 201

Mucolipidosis III type C: first trimester biochemical and molecular prenatal diagnosis: *T. C. Falik-Zaccai, M. Zeigler, R. Bargal, G. Bach, Z. Borochowitz and A. Raas-Rothschild* 211

Fetal Cells in Maternal Circulation

Short Communications

Huntington disease—unaffected fetus diagnosed from maternal plasma using QF-PCR: *M. C. González-González, M. J. Trujillo, M. Rodríguez de Alba, M. García-Hoyos, I. Lorda-Sánchez, J. Díaz-Recasens, C. Ayuso and C. Ramos* 232

Replicate real-time PCR testing of DNA in maternal plasma increases the sensitivity of non-invasive fetal sex determination: *I. Hromadnikova, B. Houbova, D. Hridelova, S. Voslarova, J. Kofer, V. Komrska and D. Habart* 235

Fetal Imaging

Assessment of cortical gyrus and sulcus formation using MR images in normal fetuses: *S. Abe, K. Takagi, T. Yamamoto, Y. Okuhata and T. Kato* 225

Mild fetal cerebral ventriculomegaly as a prenatal sonographic marker for Kartagener syndrome: *M. W. Wessels, N. S. den Hollander and P. J. Willems* 239

First-trimester nuchal translucency measurement and echocardiography at 16 to 18 weeks of gestation in prenatal detection for trisomy 18: *P.-J. Cheng, C.-M. Liu, H.-Y. Chueh, C.-M. Lin and Y.-K. Soong* . . . 248

Short Communications

Isolated pericardial effusion in the human fetus: a report of 3 cases: *A. Azancot, R. Diehl, S. Dorgeret, G. Sebag, C. Baumann, E. Vuillard, L. Machado, D. Luton and J. F. Oury* 193

Congenital limb deficiencies in newborn infants: prevalence, characteristics and prenatal diagnosis: *I. R. Makhoul, I. Goldstein, T. Smolkin, R. Avrahami and P. Sujov* 198

Fetal Therapy

Successful early *in-utero* management of fetal hydrothorax in a twin pregnancy: *H. Lam, R. Yates and E. Jauniaux* 221

Maternal Screening

Maternal serum-integrated screening for trisomy 18 using both first- and second-trimester markers: *G. E. Palomaki, L. M. Neveux, G. J. Knight and J. E. Haddow* 243

Epidemiology and Environmental Factors

Comparison of models of maternal age-specific risk for Down syndrome live births: *J. K. Morris, N. J. Wald, D. E. Mutton and E. Alberman* 252

Idiopathic fetal intrauterine growth restriction: a possible inheritance pattern: *F. Ghezzi, M. G. Tibiletti, L. Raio, E. Di Naro, B. Lischetti, M. Taborelli and M. Franchi* 259

Technological Developments

Antenatal urodynamic studies in the fetal lamb: experimental protocol and preliminary results: *R. de Tayrac, P. M. Cuckow, R. Devlieger, J. Deprest, G. Bogaert and Y. Ville* 187

Letter to the Editor 265

Erratum 268

Current Awareness in Prenatal Diagnosis 269

ISSUE NUMBER 4, APRIL 2003

Fetal Cytogenetics

Short Communications

False positive diagnosis of trisomy 21 using fluorescence *in situ* hybridisation (FISH) on uncultured amniotic fluid cells: *A. M. George, P. Oei and I. Winship* 302

Fetoplacental discrepancy involving structural abnormalities of chromosome 8 detected by prenatal diagnosis: *A. Soler, A. Sánchez, A. Carrió, C. Badenas, M. Milà and A. Borrell* 319

A familial Xp+ chromosome detected during fetal karyotyping, which is associated with short stature in four generations of a Turkish family: *B. Karaman, B. Wollnik, H. Ermiş, M. Yuksel-Apak and S. Başaran* . 336

Fetal Molecular Biology and Biochemistry

Effect of the 100-g oral glucose tolerance test on fetal acid–base balance: *A. Weissmann, L. Lowenstein, A. Drugan and E. Z. Zimmer* 281

Invited Commentary

Prenatal diagnosis of congenital nephrotic syndrome (CNF, NPHS1): *M. Kestilä and I. Järvelä* . . . 323

Short Communication

Detection of trisomy 21 by quantitative fluorescent–polymerase chain reaction in uncultured amniocytes: *J. Solassol, H. Rahil, V. Sapin, D. Lemery, B. Dastugue, O. Boespflug-Tanguy and I. Creveaux* . . . 287

Fetal Imaging

The effect of image size on nuchal translucency measurement. *A. Edwards, S. Mulvey and E. M. Wallace* . 284

Association between prenatal sonographic findings and post-natal outcomes in 30 cases of isolated *spina bifida aperta*: *C. F. A. Peralta, V. Bunduki, J. P. P. Plese, E. G. Figueiredo, J. Miguelez and M. Zugaib.* 311

Short Communications

Prenatal diagnosis of laryngeal atresia: *L. Önderoglu, B. S. Karamürsel, A. Bulun, G. Kale and E. Tunçbilek* . 277

Antenatal manifestation of congenital pancreatoblastoma in a fetus with Beckwith–Wiedemann syndrome: *G. Pelizzo, G. Conoscenti, K. D. Kalache, F. Vesce, P. Guerrini and L. Cavazzini* 292

Unusual case of a fetus with congenital cystic adenomatoid malformation of the lung associated with trisomy 13: *K.-S. Heling, C. Tennstedt and R. Chaoui* 315

Fetal Therapy

Perinatal outcome in fetuses with megacystis in the first half of pregnancy: *J.-M. Jouannic, J. A. Hyett, P. P. Pandya, B. Gulbis, C. H. Rodeck and E. Jauniaux.* 340

Maternal Screening

Integrated ultrasound and biochemical screening for trisomy 21 using fetal nuchal translucency, absent fetal nasal bone, free β-hCG and PAPP-A at 11 to 14 weeks: *S. Cicero, R. Bindra, G. Rembouskos, K. Spencer and K. H. Nicolaides* 306

Second-trimester Down syndrome maternal serum screening in twin pregnancies: impact of chorionicity: *F. Muller, S. Dreux, H. Dupoizat, S. Uzan, M.-F. Dubin, J.-F. Oury, B. Dingeon and M. Dommergues* . . 331

A new approach to antenatal screening for Fragile X syndrome: *N. J. Wald and J. K. Morris* 345

Technological Developments

Correlation between biomagnetic and Doppler findings of umbilical artery in fetal growth restriction: *A. Kotini, K. Avgidou, N. Koutlaki, J. Sigalas, P. Anninos and P. Anastasiadis* 325

Invasive Fetal Testing

Feasibility, accuracy and safety of chorionic villus sampling: a report of 10741 cases: *J.-L. Brun, R. Mangione, F. Gangbo, F. Guyon, L. Taine, D. Roux, B. Maugey-Laulom, J. Horovitz and R. Saura* . . 295

Letters to the Editor 352

Current Awareness in Prenatal Diagnosis 359

ISSUE NUMBER 5, MAY 2003

Fetal Molecular Biology and Biochemistry

Prenatal detection of fetal hemoglobin E gene from maternal plasma: *G. Fucharoen, W. Tungwiwat, T. Ratanasiri, K. Sanchaisuriya and S. Fucharoen* 393

Fetal Imaging

Prenatal diagnosis of *de novo* terminal deletion of chromosome 7q: *C.-P. Chen, S.-R. Chern, T.-Y. Chang, C.-Y. Tzen, C.-C. Lee, W.-L. Chen, M.-S. Lee and W. Wang* 375

Sub-lethal hydrops as a manifestation of dehydrated hereditary stomatocytosis in two consecutive pregnancies: *S. Grootenboer-Mignot, A. Crétien, I. Laurendeau, M.-H. Poissonnier, V. Doireau, Y. Brossard, G. Tchernia, T. Cynober and J. Delaunay.* 380

Short Communication

A new report of mesomelic camptomelia, polydactyly and Dandy–Walker complex in siblings: *S. Planas, R. Peiró, R. Rubio, R. Villanueva, A. Serés and R. Carreras* 372

Fetal Therapy

Cell-free fetal DNA concentration in plasma of patients with abnormal uterine artery Doppler waveform and intrauterine growth restriction–a pilot study: *E. Caramelli, N. Rizzo, M. Concu, G. Simonazzi, P. Carcini, C. Bondavalli, L. Bovicelli and A. Farina* 367

Preimplantation Genetics and Diagnosis

Morphological and cytogenetic analysis of intact oocytes and blocked zygotes: *M. Benkhalifa, S. Kahraman, D. Caserta, E. Domez and M. B. Qumsiyeh* 397

Maternal Screening

Frequency and clinical consequences of extremely high maternal serum PAPP-A levels: *H. Cuckle, S. Arbuzova, K. Spencer, J. Crossley, G. Barkai, D. Krantz, F. Muller, M. Nikolenko, D. Aitken, T. Hallahan, J. Macri and P. D. Buchanan* 385

Centre-specific ultrasound nuchal translucency medians needed for Down syndrome screening: *H. Logghe, H. Cuckle and I. Sehmi* 389

Identification of expressed sequence tags preferentially expressed in human placentas by *in silico* subtraction: *D. Miner and A. Rajkovic* 410

Using Down syndrome serum screening results to predict low birthweight: *T. Huang, E. Alberman, H. C. Watt and N. J. Wald* 420

Technological Developments

Chaotic and periodic analysis of fetal magnetocardiogram recordings in growth restriction: *P. G. Anastasiadis, A. Kotini, P. Anninos, A. Adamopoulos, J. Sigalas and N. Koutlaki* 405

Letters to the Editor 427

Current Awareness in Prenatal Diagnosis 435

ISSUE NUMBER 6, JUNE 2003

Fetal Cytogenetics

Discordant prenatal diagnosis of trisomy 21 due to mosaic structural rearrangements of chromosome 21: *S. Brisset, A. Aboura, F. Audibert, J.-M. Costa, A. C. L'Herminé, V. Gautier, R. Frydman and G. Tachdjian* . 461

The influence of IVF, multiple gestation and miscarriage on the acceptance of genetic amniocentesis: *A. Elimian, M. Demsky, R. Figueroa, P. Ogburn, A. R. Spitzer and J. G. Quirk* 501

Fetal Molecular Biology and Biochemistry

Prenatal diagnosis for Epidermolysis bullosa: a study of 144 consecutive pregnancies at risk: *E. G. Pfendner, A. Nakano, L. Pulkkinen, A. M. Christiano and J. Uitto* 447

Prenatal diagnosis of factor X deficiency using a combination of direct mutation detection and linkage analysis with an intragenic single nucleotide polymorphism: *R. Camire, R. A. Denchy, G. A. Day III, P. Lanzano, S. Sheth and S. Brown* 457

Fetal Imaging

Absence of fetal nasal bone and aneuploidies at first-trimester nuchal translucency screening in unselected pregnancies: *M. A. Zoppi, R. M. Ibba, C. Axiana, M. Floris, F. Manca and G. Monni* 496

Short Communications

Sirenomelia, the mermaid syndrome—detection in the first trimester: *M. Schiesser, W. Holzgreve, O. Lapaire, N. Willi, H. Lüthi, R. Lopez and S. Tercanli* 493

Perinatal findings and molecular cytogenetic analysis of trisomy 16q and 22q13.3 deletion: *C.-P. Chen, S.-P. Lin, S.-R. Chern, S.-L. Shih, C.-C. Lee, W. Wang and Y.-W. Liao* 504

Fetal Infections

Short Communication

Prenatal diagnosis of congenital rubella infection in the second trimester of pregnancy: *J. W. Tang, E. Aarons, L. M. Hesketh, S. Strobel, G. Schalasta, E. Jauniaux, N. S. Brink and G. Enders* 509

Maternal Screening

Early vaginal bleeding and first-trimester markers for Down syndrome: *P. De Biasio, S. Canini, A. Crovo, F. Prefumo and P. L. Venturini* 470

Amniotic fluid human chorionic gonadotrophin and alpha-fetoprotein levels in pregnancies conceived after assisted reproduction: *P. W. Hui, Y. H. Lam, M. H. Y. Tang, E. H. Y. Ng, W. S. B. Yeung and P. C. Ho* . 484

Review

Cystic fibrosis: selecting the prenatal screening strategy of choice: *N. J. Wald, J. K. Morris, C. H. Rodeck, J. E. Haddow and G. E. Palomaki* 474

Short Communication

Accuracy of trisomy 18 screening using the second-trimester triple test: *C. Meier, T. Huang, P. R. Wyatt and A. M. Summers* 443

Fetal Invasive Diagnostic Procedure

A classification of pregnancy losses after invasive prenatal diagnostic procedures: an approach to allow comparison of units with a different case mix: *R. Nanal, P. Kyle and P. W. Soothill* 488

Letters to the Editor 513

Erratum 521

Current Awareness in Prenatal Diagnosis 522

ISSUE NUMBER 7, JULY 2003

Fetal Cytogenetics

Three different origins for apparent triploid/diploid mosaics: *A. Daniel, Z. Wu, A. Darmanian, F. Collins and J. Jackson* 529

Residual risk for cytogenetic abnormalities after prenatal diagnosis by interphase fluorescence *in situ* hybridization (FISH): *J. Homer, S. Bhatt, B. Huang and M. Thangavelu* 566

Short Communications

Prenatal diagnosis of triple X using fetal cells obtained by endocervical lavage: *X. X. Zhao, K. Suzumori and T. Sato* 549

A further case of confirmed placental mosaicism for trisomy 2 associated with adverse pregnancy outcome: *E. Roberts, J. Dunlop, G. S. Davis, D. Churchill and E. V. Davison.* 564

Prenatal diagnosis of 5p deletion syndrome following abnormally low maternal serum human chorionic gonadotrophin: *A. Weiss, S. Shalev, E. Weiner, Y. Shneor and E. Shalev* 572

Fetal Molecular Biology and Biochemistry

Molecular genetic prenatal diagnosis for a case of autosomal recessive spondylocostal dysostosis: *N. V. Whittock, P. D. Turnpenny, J. Tuerlings and S. Ellard* 575

Fetal Cells in Maternal Circulation

Increased total cell-free DNA in the serum of pregnant women carrying a fetus affected by trisomy 21: *K. Spencer, J. B. de Kok and D. W. Swinkels* 580

Fetal Imaging

Caliber of the coronary sinus in fetuses with cardiac defects with and without left persistent superior vena cava and in growth-restricted fetuses with heart-sparing effect: *R. Chaoui, K. S. Heling and K. D. Kalache.* 552

Short Communications

First-trimester diagnosis of osteogenesis imperfecta associated with encephalocele by conventional and three-dimensional ultrasound: *R. Ruano, O. Picone, A. Benachi, A.-G. Grebille, J. Martinovic, Y. Dumez and M. Dommergues* 539

Histopathological findings of the nose of Down syndrome abortuses: *S. F. Wong, W. F. Ng and L. C. Ho* . 561

Fetal Infection

Short Communication

Fetal toxoplasmosis and negative amniocentesis: necessity of an ultrasound follow-up: *F. Gay-Andrieu, P. Marty, J. Pialat, G. Sournies, T. Drier de Laforte and F. Peyron* 558

Maternal Screening

Very low alpha-fetoprotein in Down syndrome maternal serum screening: *F. Muller, S. Dreux, C. Sault, A. Galland, H. Puissant, G. Couplet, C. Lemay, M.-E. Larcher and G. Renom* 584

Combining nuchal translucency and serum markers in prenatal screening for Down syndrome in twin pregnancies: *N. J. Wald, S. Rish and A. K. Hackshaw* 588

Combined first- and second-trimester screening for Down syndrome: an evaluation of proMBP as a marker: *L. Rode, K. R. Wøjdemann, A.-C. Shalmi, S. O. Larsen, K. Sundberg, B. Nørgaard-Pedersen, M. Christiansen and A. Tabor* 593

Psychosocial Aspects

Health professionals' reports of information given to parents following the prenatal diagnosis of sex chromosome anomalies and outcomes of pregnancies: a pilot study: *S. Hall, L. Abramsky and T. M. Marteau* 535

Coping with termination of pregnancy for fetal abnormality in a supportive environment: *C. R. Geerinck-Vercammen and H. H. H. Kanhai* 543

Letters to the Editor 599

Current Awareness in Prenatal Diagnosis 611

ISSUE NUMBER 8, AUGUST 2003

Fetal Cells in Maternal Circulation

Applying a test system for discriminating fetal from maternal cells: *P. Bayrak-Toydemir, E. Pergament and M. Fiddler* 619

Fetal Imaging

Congenital diaphragmatic hernia: an evaluation of the prognostic value of the lung-to-head ratio and other prenatal parameters: *J. A. M. Laudy, M. Van Gucht, M. F. Van Dooren, J. W. Wladimiroff and D. Tibboel* . 634

Short Communication

Prenatal presentation of cervical congenital neuroblastoma: *G. Gorincour, F. Dugougeat-Pilleul, R. Bouvier, S. Lorthois-Ninou, S. Devonec, P. Gaucherand, J. P. Pracros and L. Guibaud* 690

Pathology of the Fetus and Placenta

Fetal hypertension: an insight in the pathogenesis of the twin-twin transfusion syndrome: *D. Mahieu-Caputo, L. J. Salomon, J. Le Bidois, L. Fermont, A. Brunhes, P. Jouvet, Y. Dumez and M. Dommergues* 640

Preimplantation Genetics and Diagnosis

Birth of healthy children after preimplantation diagnosis of β-thalassemia by whole-genome amplification: *Z. Jiao, C. Zhou, J. Li, Y. Shu, X. Liang, M. Zhang and G. Zhuang* 646

Preimplantation genetic diagnosis of chromosome abnormalities: implications from the outcome for couples with chromosomal rearrangements: *M. Simopoulou, J. C. Harper, E. Fragouli, A. Mantzouratou, B. E. Speyer, P. Serhal, D. M. Ranieri, A. Doshi, J. Henderson, C. H. Rodeck and J. D. A. Delhanty* . . 652
Sequential FISH analysis of oocytes and polar bodies reveals aneuploidy mechanisms: *S. Cupisti, C. M. Conn, E. Fragouli, K. Whalley, J. A. Mills, M. J. W. Faed and J. D. A. Delhanty* 663
Single-cell sequencing and mini-sequencing for preimplantation genetic diagnosis: *M. G. Bermudez, W. Piyamongkol, S. Tomaz, E. Dudman, J. K. Sherlock and D. Wells* 669
Comparison between fluorescence *in situ* hybridization (FISH) and quantitative-fluorescent polymerase chain reaction (QF-PCR) for the detection of aneuploidies in single blastomeres: *T. Sato, K. Ikuta, J. Sherlock, M. Adinolfi and K. Suzumori* 678
Duplex PCR for preimplantation genetic diagnosis (PGD) of spinal muscular atrophy: *C. Moutou, N. Gardes and S. Viville* 685

Maternal Screening

Mid-gestation Down syndrome screening test and pregnancy outcome among unstimulated assisted-conception pregnancies: *A. Shulman and R. Maymon* 625

Fetal Invasive Testing

Rapid prenatal diagnosis of aneuploidies and zygosity in multiple pregnancies by amniocentesis with single insertion of the needle and Quantitative Fluorescent PCR: *V. Cirigliano, P. Cañadas, A. Plaja, E. Ordoñez, C. Mediano, A. Sánchez and I. Farrán* 629

ISSUE NUMBER 9, SEPTEMBER 2003

Fetal Cytogenetics

Short Communication

Prenatal detection of complex chromosomal aberrations using advanced molecular cytogenetic techniques: *J. M. de Pater, L. C. P. Govaerts, S. A. de Man, C. J. M. van der Sijs-Bos, G. C. M. L. Christiaens, W. M. van Dam, W. H. Loneus and J. J. M. Engelen* 747

Fetal Molecular Biology and Biochemistry

Short Communications

Molecular prenatal diagnosis in a case of an X-linked dominant chondrodysplasia punctata: *N. V. Whittock, L. Izatt, S. L. Simpson-Dent, K. Becker and S. H. Wakelin* 701
Pitfalls in molecular diagnosis in a family with severe factor VII (FVII) deficiency—misdiagnosis by direct sequence analysis using a PCR product: *I. Garagiola, R. Palla and F. Peyvandi* 731
Severe perinatal hypophosphatasia due to homozygous deletion of T at nucleotide 1559 in the tissue nonspecific alkaline phosphatase gene: *H. Sawai, N. Kanazawa, Y. Tsukahara, K. Koike, H. Udagawa, K. Koyama and E. Mornet* 743

Fetal Cells in Maternal Circulation

Fetal nucleated red blood cells in peripheral blood of pregnant women: detection and determination of location on a slide using laser-scanning cytometry: *S. Hennerbichler, P. M. Kroisel, H. Zierler, B. Pertl, R. Wintersteiger, G. Dohr and P. Sedlmayr* 710

Fetal Imaging

Prenatal ultrasound and magnetic resonance imaging in fetal varicella syndrome: correlation with pathology findings: *H. Verstraelen, B. Vanzieleghem, P. Defoort, P. Vanhaesebrouck and M. Temmerman* . 705
Early prenatal diagnosis of recurrent 46,XY partial gonadal dysgenesis: *V. Mazza, C. Ottolenghi, I. Di Monte, F. Baldassari, F. Rivasi, A. Volpe and A. Forabosco* 716
Serial *in utero* ultrasonographic measurements of the fetal thyroid: a new complementary tool in the management of maternal hyperthyroidism in pregnancy: *O. Cohen, O. Pinhas-Hamiel, E. Sivan, M. Dolitski, S. Lipitz and R. Achiron* 740
22q11 deletions in fetuses with malformations of the outflow tracts or interruption of the aortic arch: impact of additional ultrasound signs: *P. Volpe, M. Marasini, G. Caruso, A. Marzullo, A. L. Buonadonna, P. Arciprete, S. Di Paolo, G. Volpe and M. Gentile* 752

Short Communications

Prenatal diagnosis of multiple pterygium syndrome associated with Klinefelter syndrome: *A. Lembet, M. Oktem, Z. Yilmaz, U. Kaya and M. Derbent* 728
Pericardial teratoma complicated by hydrops: successful fetal therapy by thoracoamniotic shunting: *A. G. Grebille, D. Mitanchez, A. Benachi, M. C. Aubry, V. Houfflin-Debarge, P. Vouhé, Y. Dumez and M. Dommergues* 735
Prenatal diagnosis of trisomy 18p and distal 21q22.3 deletion: *C.-P. Chen, S.-R. Chern, C. C. Lee, L.-F. Chen, D. T. H. Chin, C.-Y. Tzen and W. Wang* 758

Psychosocial Aspects

Attitudes toward prenatal diagnosis, termination of pregnancy, and reproduction by parents of children with nonsyndromic oral clefts in Argentina: *D. F. Wyszynski, C. Perandones and R. D. Bennun* . . . 722

Letters to the Editor 762
Author Corrections 771
Current Awareness in Prenatal Diagnosis 772

ISSUE NUMBER 10, OCTOBER 2003

Fetal Cytogenetics

Fetal chromosomal analysis of pregnancies following intracytoplasmic sperm injection with amniotic tissue culture: *H. Samli, M. Solak, N. Imirzalioğlu, Y. Beyatlı, S. Şimşek and S. Kahraman* 847

Short Communications

Ethmocephaly caused by *de novo* translocation 18;21—prenatal diagnosis: *I. Goldstein, A. Weissman, R. Brill-Zamir, I. Laevsky and A. Drugan* 788

Cryptic 1q36.3/6q25.2 translocation in three generations ascertained through a foetus with IUGR and cerebral malformations: *S. Cavani, C. Perfumo, F. Faravelli, M. Malacarne, M. Sogliani, G. Piombo, G. Zerega, M. Zucca, F. D. Bricarelli and M. Pierluigi* 819

Fetal Molecular Biology and Biochemistry

Invited Commentary: Current Issues in Obstetrics and Genetics

Prenatal diagnosis of Lesch–Nyhan disease: *W. L. Nyhan, L.-U. C. Vuong and R. Broock* 807

Fetal Cells in Maternal Circulation

Review

Fetal cells and DNA in maternal blood: *L. Jackson* 837

Fetal Imaging

Ultrasound evaluation of fetal nasal bone at 11 to 14 weeks in a consecutive series of 1906 fetuses: *E. Viora, B. Masturzo, G. Errante, A. Sciarrone, S. Bastonero and M. Campogrande* 784

Intracranial hemorrhage progressing to porencephaly as a result of congenitally acquired cytomegalovirus infection—an illustrative report: *A. Moinuddin, R. C. McKinstry, K. A. Martin and J. J. Neil* 797

Craniofacial dysmorphology and three-dimensional ultrasound: a prospective study on practicability for prenatal diagnosis: *R. Mangione, D. Lacombe, D. Carles, F. Guyon, R. Saura and J. Horovitz* 810

Mild pyelectasis: evaluating the relationship between gestational age and renal pelvic anterior-posterior diameter: *A. O. Odibo, D. Marchiano, J. N. Quinones, D. Riesch, J. F. X. Egan and G. A. Macones* . . 824

Short Communications

Prenatal diagnosis of cavum velum interpositum cysts: significance and outcome: *V. H. Eisenberg, Y. Zalel, C. Hoffmann, Z. Feldman and R. Achiron* 779

Prenatal diagnosis of capillary telangiectasia of the cerebellum — ultrasound and MRI features: *L. Guibaud, C. Garel, B. Annie, G. Pascal, V. François, C. Vavasseur, J.-F. Oury and J.-P. Pracros* . . . 791

Maternal Screening

The use of record linkage for auditing the uptake and outcome of prenatal serum screening and prenatal diagnostic tests for Down syndrome: *E. Alberman, W. Huttly, E. Hennessy and A. McIntosh* 801

First-trimester screening for Down syndrome in France combining fetal nuchal translucency measurement and biochemical markers: *F. Muller, C. Benattar, F. Audibert, N. Roussel, S. Dreux and H. Cuckle* . . . 833

Maternal weight correction of maternal serum PAPP-A and free β-hCG MoM when screening for trisomy 21 in the first trimester of pregnancy: *K. Spencer, R. Bindra and K. H. Nicolaides* 851

Psychosocial Aspects

Do women prefer to have screening tests for Down syndrome that have the lowest screen-positive rate or the highest detection rate?: *S. Mulvey, R. Zachariah, K. McIlwaine and E. M. Wallace* 828

Epidemiology and Environmental Factors

Trisomy 13 and trisomy 18 in a defined population: epidemiological, genetic and prenatal observations: *M. J. Parker, J. L. S. Budd, E. S. Draper and I. D. Young* 856

Letters to the Editor 861

Current awareness in Prenatal Diagnosis 869

ISSUE NUMBER 11, NOVEMBER 2003

Fetal Cytogenetics

Fetal phenotype of Prader–Willi syndrome due to maternal disomy for chromosome 15: *A. Coulomb L'Herminé, A. Aboura, S. Brisset, L. Cuisset, V. Castaigne, P. Labrune, R. Frydman and G. Tachdjian* . . 938

Short Communication

Possible human chimera detected prenatally after *in vitro* fertilization: a case report: *B. Simon-Bouy, M. Plachot, A. Mokdad, N. Lavaud, C. Muti, A. Bazin, F. Vialard and J. Belaisch-Allart* 935

Fetal Molecular Biology and Biochemistry

Prenatal diagnosis of carnitine palmitoyltransferase 2 deficiency in chorionic villi: a novel approach: *B. C. Vekemans, J.-P. Bonnefont, J. Aupetit, G. Royer, V. Droin, T. Attié-Bitach, J.-M. Saudubray and L. Thuillier* 884

Fetal Cells in Maternal Circulation

Short Communication

Rare cell isolation using antibodies covalently linked to slides: application to fetal cells in maternal blood: *E. I. Jauho and M. H. Jakobsen* 898

Fetal Imaging

Charts of fetal size: kidney and renal pelvis measurements: *L. S. Chitty and D. G. Altman* 891

Detection of an aneurysm of the vein of Galen following signs of cardiac overload in a 22-week old fetus: *J. Hartung, K. S. Heling, A. Rake, C. Zimmer and R. Chaoui* 901

Meconium peritonitis and pseudo-cyst formation: prenatal diagnosis and post-natal course: *F. Eckoldt, K. S. Heling, R. Woderich, S. Kraft, R. Bolmann and H. Mau* 904

Ductus venosus assessment at the time of nuchal translucency measurement in the detection of fetal aneuploidy: *A. Borrell, J. M. Martinez, A. Serés, V. Borobio, V. Cararach and A. Fortuny* 921

Prenatal diagnosis of congenital mesoblastic nephroma in the mid-second trimester by sonography and magnetic resonance imaging: *W.-Y. Chen, C.-N. Lin, C.-S. Chao, M.Y.-S. Lin, C.-W. Mak, S.-S. Chuang, C.-C. Tzeng and K.-F. Huang* 927

Short Communication

Prenatal manifestation of superior mesenteric artery syndrome: *B. Caspi, H. Deutsch, M. Grunshpan, O. Flidel, Z. Hagay and Z. Appelman* 932

Pathology of the Fetus and Placenta

Fetal serum alpha-fetoprotein in alloimmunised pregnancies: *J. L. Bartha, G. Harrison, P. M. Kyle and P. W. Soothill* 917

Maternal Screening

Strict glycemic control in diabetic pregnancy—implications for second-trimester screening for Down syndrome: *Y. Peled, Y. Gilboa, T. Perri, M. Shohat, R. Chen, J. Bar, M. Hod and J. Pardo* 888

Epidemiology and Environmental Factors

Trends in elective terminations of pregnancy between 1989 and 2000 in a French county (the Isère): *P. Guillem, B. Fabre, C. Cans, E. Robert-Gnansia and P. S. Jouk* 877

Technological Developments

Changes in the frequency power spectrum of fetal heart rate in the course of pregnancy: *P. Van Leeuwen, D. Geue, S. Lange, W. Hatzmann and D. Grönemeyer* 909

Letters to the Editor 944

Current awareness in Prenatal Diagnosis 952

ISSUE NUMBER 12, DECEMBER 2003

Fetal Cytogenetics

Short Communications

Molecular and cytogenetic characterization of extra-structurally abnormal chromosomes (ESACs) found prenatally: outcome and follow-up: *E. Marchina, G. Piovani, L. Vezzola, D. Bellotti, V. Cerri, C. Groli and S. Barlati* 959

Prenatal diagnosis of sacrococcygeal teratoma with constitutional partial monosomy 7q/trisomy 2p: *C. Le Caignec, N. Winer, M. Boceno, C. Delnatte, G. Podevin, J. M. Liet, M. P. Quere, M. Joubert and J. M. Rival* 981

Fetal Molecular Biology and Biochemistry

Invited Commentary: Current Issues in Obstetrics and Genetics

Prenatal diagnosis and genetic analysis of Wiskott-Aldrich syndrome: *K. A. Siminovitch* 1014

Fetal Imaging

Transcervical fetoscopic diagnosis of structural defects in four first-trimester monochorionic twin intrauterine deaths: *T. Philipp, E. R. Separovic, K. Philipp, A. Reiner and D. K. Kalousek* 964

Prenatal imaging of facial clefts by magnetic resonance imaging with emphasis on the posterior palate: *T. Ghi, G. Tani, L. Savelli, G. Gandolfi Colleoni, G. Pilu and L. Bovicelli* 970

Increased nuchal translucency and congenital heart defects in a low-risk population: *E. Hafner, T. Schuller, M. Metzenbauer, K. Schuchter and K. Philipp* 985

Congenital cystic adenomatoid malformation: accuracy of prenatal diagnosis, prevalence and outcome in a general population: *A. S. Gornall, J. L. S. Budd, E. S. Draper, J. C. Konje and J. J. Kurinczuk* 997

Short Communications

Chorioangioma and its severe infantile sequelae: case report: *R. Maymon, G. Hermann, O. Reish, A. Herman, S. Strauss, D. Sherman and E. Heyman* 976

Prenatal diagnosis of Apert syndrome: report of two cases: *D. L. Skidmore, A. P. Pai, A. Toi, L. Steele and D. Chitayat* 1009

Maternal Screening

Predicting complications of pregnancy with first-trimester maternal serum free-βhCG, PAPP-A and inhibin A: *N. Tul, S. Pušenjak, J. Osredkar, K. Spencer and Z. Novak-Antolič* 990

Psychosocial Aspects

Living with achondroplasia: attitudes toward population screening and correlation with quality of life: *S. E. Gollust, R. E. Thompson, H. C. Gooding and B. B. Biesecker* 1003

Letters to the Editor 1017

Current awareness in Prenatal Diagnosis 1027

ISSUE NUMBER 13, DECEMBER 2003

Fetal Molecular Biology

Free fetal DNA concentration in maternal plasma during normal labour at term: *I. Ingargiola, J.-L. Vaerman, F. Debiève, G. Palgen, C. Verellen-Dumoulin and C. Hubinont* 1077

Fetal Imaging

The 'in-plane' view of the inter-ventricular septum. A new approach to the characterization of ventricular septal defects in the fetus: *D. Paladini, M. G. Russo, M. Vassallo and A. Tartaglione* 1052

Ossification timing of sacral vertebrae by ultrasound in the mid-second trimester of pregnancy: *P. De Biasio, G. Ginocchio, G. Aicardi, G. Ravera, P. L. Venturini and M. Vignolo* 1056

Fetal karyotyping after 28 weeks of gestation for late ultrasound findings in a low risk population: *C. L. Drummond, D. M. Gomes, M. V. Senat, F. Audibert, A. Dorion and Y. Ville* 1068

ADAM12: a novel first-trimester maternal serum marker for Down syndrome: *J. Laigaard, T. Sørensen, C. Fröhlich, B. N. Pedersen, M. Christiansen, K. Schiøtt, N. Uldbjerg, R. Albrechtsen, H. Clausen, B. Ottesen and U. M. Wewer* 1086

Fetal Therapy

Fetal cystoscopy in the management of fetal obstructive uropathy: experience in a single European centre: *A. Welsh, S. Agarwal, S. Kumar, R. P. Smith and N. M. Fisk* 1033

Maternal Screening

Earliest gestational age for fetal sexing in cell-free maternal plasma: *R. J. P. Rijnders, R. B. Van Der Luijt, E. D. J. Peters, J. K. Goeree, C. E. Van Der Schoot, J. K. Ploos Van Amstel and G. C. M. L. Christiaens* . 1042

Maternal midtrimester free β-HCG and AFP serum levels in spontaneous singleton pregnancies complicated by gestational diabetes mellitus, pregnancy-induced hypertension or obstetric cholestasis: *R. Räty, L. Anttila, A. Virtanen, P. Koskinen, P. Laitinen, P. Mörsky, A. Tiitinen, H. Martikainen and U. Ekblad* 1045

Medically assisted reproduction and second-trimester maternal serum marker screening for Down syndrome: *F. Muller, S. Dreux, A. Lemeur, C. Sault, J. Desgrès, M.-A. Bernard, C. Giorgetti, C. Lemay, S. Mirallié and A. Beauchet* 1073

Fetal Molecular Genetics

Short Communications

First report of prenatal diagnosis of genetic congenital deafness in a routine prenatal genetic test: *M. L. Santoro, L. Mobili, A. Mesoraca and C. Giorlandino* 1083

Rapid prenatal diagnosis of X-linked chronic granulomatous disease using a denaturing high-performance liquid chromatography (DHPLC) system: *S.-C. Chien, C.-N. Lee, C.-C. Hung, P.-N. Tsao, Y.-N. Su and F.-J. Hsieh* 1092

Invasive Prenatal Diagnosis

The influence of needle and syringe size on chorionic villus sampling of term placentae: a randomised trial: *L. Cochrane, M. Ainscough and Z. Alfirevic* 1049

Psychosocial Reports

Providing letters and audiotapes to supplement a prenatal diagnostic consultation: effects on later distress and recall: *C. D. Cope, A. C. Lyons, V. Donovan, M. Rylance and M. D. Kilby* 1060

Letters to the Editor 1097

Author index for Volume 23 1107

Keyword index for Volume 23 1108

Volume Contents i